

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4352	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:09
S2	5953	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:10
S3	8109	display\$5 with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:11
S4	789100	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:16
S5	13745	S1 or S2 or S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:17
S6	826	S4 same (S1 or S2 or S3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:17
S7	439	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:19

S8	439	S6 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:20
S9	670	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:21
S10	1198	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:22
S11	1220	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:27
S12	55	display\$5 with (icon\$5) with (layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:28
S13	55	display\$5 with (icon\$5) with (layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4 or locat\$5) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 10:30
S14	145	display\$5 with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain or containing) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 11:06
S15	2491	display\$5 with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain or containing or includ\$5) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 11:06

S16	7	S8 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 11:08
S17	143	S8 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 11:08
S18	290663	display\$5 with function\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 11:54
S19	59160	display\$5 with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 11:55
S20	927	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 11:57
S21	19411	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or indud\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 11:59
S22	308	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or indud\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3) with S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 12:00
S23	308	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or indud\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3) with S20 with (S18)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 12:02

S24	308	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3) with S20 with (S19)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/24 12:02
S25	35717	display\$5 with (map\$5 or location\$5 or diagram\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 09:04
S26	63808	display\$5 with (map\$5 or location\$5 or diagram\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 09:07
S27	789100	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 09:08
S28	782	S27 with (S25 or S26)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 09:08
S29	617584	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 09:12
S30	37	S27 with (S25 or S26) with (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 09:13
S31	421	S29 with (S25 or S26)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 09:14

S32	30	S29 with (S25 or S26) with (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 09:15
S33	43101	display\$5 with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 16:51
S34	75691	display\$5 with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 16:52
S35	1040	display\$5 with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3) with (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 16:54
S36	40	display\$5 with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3) with (icon\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 16:56
S37	45	display\$5 with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3) with (icon\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or feature\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 16:58
S38	14	display\$5 with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3) with (icon\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or feature\$3) with (have or having or containing or contain\$3 or includ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:01
S39	20	display\$5 with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (icon\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or feature\$3) with (have or having or containing or contain\$3 or includ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:03

S40	43	display\$5 with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (icon\$3) with ((select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3 or feature\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:05
S41	4	display\$5 with (map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (icon\$3) with ((have or having or containing or contain\$3 or includ\$3) near9 ((select \$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3 or feature\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:06
S42	27936	(358/1.15,1.14,1.13,1.16,1.17,1.18,1.1,1.6,1.9,407,468,404,444,1.11,1.2,1.4,401).CCLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:08
S43	3333	(347/2,3,5,14).CCLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:09
S44	5217	(399/1,8).CCLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:09
S45	7688	(715/204,273,274,700,836,837,713,835,810,764,763,762).CCLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:10
S46	43588	S42 or S43 or S44 or S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:10
S47	3248	S46 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:10

S48	3758	S46 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:11
S49	200	S46 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:11
S50	11	S46 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:11
S51	14	S46 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:11
S52	5	S46 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:12
S53	5	S46 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:12
S54	11	S46 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:13
S55	4352	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:14

S56	760	S46 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:14
S57	5953	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:14
S58	814	S46 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:14
S59	8109	display\$5 with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:15
S60	1290	S46 and S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:15
S61	789100	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:16
S62	826	S61 same (S55 or S57 or S59)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:16
S63	202	S46 and S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:16

S64	439	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:17
S65	110	S46 and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:17
S66	439	S62 and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:18
S67	110	S46 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:18
S68	670	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:19
S69	124	S46 and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:19
S70	1198	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:21
S71	170	S46 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:21

S72	1220	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:22
S73	172	S46 and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:22
S74	55	display\$5 with (icon\$5) with (layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:23
S75	20	S46 and S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:23
S76	55	display\$5 with (icon\$5) with (layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4 or locat\$5) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:27
S77	20	S46 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:27
S78	145	display\$5 with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain or containing) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:30
S79	22	S46 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:30

S80	2491	display\$5 with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain or containing or includ\$5) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:34
S81	27936	(358/1.15,1.14,1.13,1.16,1.17,1.18,1.1,1.6,1.9,407,468,404,444,1.11,1.2,1.4,401).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:34
S82	3333	(347/2,3,5,14).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:34
S83	5217	(399/1,8).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:34
S84	7688	(715/204,273,274,700,836,837,713,835,810,764,763,762).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:34
S85	43588	S81 or S82 or S83 or S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:34
S86	300	S85 and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:34
S87	4352	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:34

S88	5953	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:34
S89	8109	display\$5 with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:34
S90	789100	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:34
S91	826	S90 same (S87 or S88 or S89)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:34
S92	439	display\$5 with (icon\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:34
S93	439	S91 and S92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:34
S94	143	S93 and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:34
S95	37	S85 and S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:34

S96	59160	display\$5 with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:40
S97	2810	S85 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:40
S98	927	display\$5 with (layout\$5 or (lay adj out\$3) or (lay\$out\$3) or location\$5 or position\$5 or posit\$4) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:40
S99	108	S85 and S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:40
S100	19411	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:41
S101	1021	S85 and S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:41
S102	308	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3) with S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:48
S103	28	S85 and S102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:48

S104	290663	display\$5 with function\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:51
S105	308	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3) with S98 with (S104)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:51
S106	28	S85 and S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:51
S107	308	(output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3) with (have or having or contain\$4 or includ\$4) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3) with S98 with (S96)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:51
S108	28	S85 and S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:51
S109	35717	display\$5 with (map\$5 or location\$5 or diagram\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:51
S110	2957	S85 and S109	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:51
S111	63808	display\$5 with (map\$5 or location\$5 or diagram\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:56

S112	27936	(358/1.15,1.14,1.13,1.16,1.17,1.18,1.1,1.6,1.9,407,468,404,444,1.11,1.2,1.4,401).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:56
S113	3333	(347/2,3,5,14).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:56
S114	5217	(399/1,8).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:56
S115	7688	(715/204,273,274,700,836,837,713,835,810,764,763,762).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 17:56
S116	43588	S112 or S113 or S114 or S115	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:56
S117	3408	S116 and S111	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:56
S118	789100	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:56
S119	8652	S116 and S118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:56

S120	35717	display\$5 with (map\$5 or location\$5 or diagram\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3)) or facsimil\$3 or copy\$3 or copier\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:56
S121	782	S118 with (S120 or S111)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:56
S122	86	S116 and S121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:56
S123	37	S118 with (S120 or S111) with (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:57
S124	10	S116 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:57
S125	617584	(select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:57
S126	421	S125 with (S120 or S111)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:57
S127	70	S116 and S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:57

S128	30	S125 with (S120 or S111) with (icon\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:57
S129	8	S116 and S128	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 17:57
S130	2443	display\$5 with (coordinat\$5 or map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay \$out\$3)) with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or generat \$5 or produc\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:03
S131	87	display\$5 with (coordinat\$5 or map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay \$out\$3)) with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or generat \$5 or produc\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (select\$5 or choos\$5 or chos \$5 or highlight\$5 or elect\$4) with (function\$3 or features or feature\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:06
S132	28	display\$5 with (coordinat\$5 or map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay \$out\$3)) with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or generat \$5 or produc\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (hav\$3 or have or having or contain\$3 or includ\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or features or feature\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:08
S133	27936	(358/1.15,1.14,1.13,1.16,1.17,1.18,1.1,1.6,1.9,407,468,404,444,1.11,1.2,1.4,401).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 18:13
S134	3333	(347/2,3,5,14).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 18:13
S135	5217	(399/1,8).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 18:13

S136	7688	(715/204,273,274,700,836,837,713,835,810,764,763,762).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 18:13
S137	43588	S133 or S134 or S135 or S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:13
S138	2443	display\$5 with (coordinat\$5 or map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay \$out\$3)) with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or generat \$5 or produc\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:13
S139	302	S137 and S138	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:13
S140	87	display\$5 with (coordinat\$5 or map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay \$out\$3)) with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or generat \$5 or produc\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (select\$5 or choos\$5 or chos \$5 or highlight\$5 or elect\$4) with (function\$3 or features or feature\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:15
S141	21	S137 and S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:15
S142	28	display\$5 with (coordinat\$5 or map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay \$out\$3)) with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or generat \$5 or produc\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (hav\$3 or have or having or contain\$3 or includ\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or features or feature\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:15
S143	5	S137 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:15

S144	2490	(GUI\$3 or display\$5) with (coordinat\$5 or map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or generat\$5 or produc\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:23
S145	91	(GUI\$3 or display\$5) with (coordinat\$5 or map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or generat\$5 or produc\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or features or feature\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:28
S146	28	(GUI\$3 or display\$5) with (coordinat\$5 or map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or generat\$5 or produc\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (hav\$3 or have or having or contain\$3 or includ\$3) with (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) with (function\$3 or features or feature\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:31
S147	11	(GUI\$3 or display\$5) with (coordinat\$5 or map\$5 or diagram\$5 or location\$3 or locat\$5 or layout\$5 or (lay adj out\$3) or (lay\$out\$3)) with (icon\$3) with (output\$5 or print\$5 or fax\$3 or ifax\$3 or (image adj (form\$3 or output\$3 or generat\$5 or produc\$3)) or facsimil\$3 or copy\$3 or copier\$3 or apparatus\$3 or imag\$3) with (hav\$3 or have or having or contain\$3 or includ\$3) near9 (select\$5 or choos\$5 or chos\$5 or highlight\$5 or elect\$4) near9 (function\$3 or features or feature\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:35
S148	27936	(358/1.15,1.14,1.13,1.16,1.17,1.18,1.1,1.6,1.9,407,468,404,444,1.11,1.2,1.4,401).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 18:39
S149	3333	(347/2,3,5,14).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 18:39
S150	5217	(399/1,8).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 18:39
S151	7688	(715/204,273,274,700,836,837,713,835,810,764,763,762).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 18:39

S152	43588	S148 or S149 or S150 or S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:39
S153	306	S152 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:39
S154	21	S152 and S145	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:39
S155	5	S152 and S146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:40
S156	1	S152 and S147	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 18:41

8/ 25/ 2008 6:43:20 PM
C:\Documents and Settings\dpopovici\My Documents\EAST\Workspaces\09082127.08242008.1.wsp